M. A. R. 57 (Rule 116)
Measurement Book

No. E 495702

erial No. 1st and Final

me of work Improvements to roads and drains @ A-Sector, B-Sector From ..... To .....

me of Contractor or nature of Agency LIG and MIG and surrounding areas

te of commencement of work in Ward No: 4 Yelahanka new town sub division.

(Package-04)

| Full description, etc. of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|
| | Number | Length | Breadth | Depth | | |
| 2 | | | | | 7 | 8 |
| Est cost 300,00000/- (3-00 Cr) | | | | | | |

Name of Contractor:- M.S. Venkatesh. (M.S.V Constructions Company)
No 163, 5th Cross, 2nd Main.
Prakashanagara Bangalore-560021

Work order No:- EE/YNKD/EPMT-5/W.O/126/2020-21

Work code NO:- 004-19-00000 14. 21-09-2020

Agreement No:- BBMP/EE/YNKD/EPMT/AG/109/2020-21

Commissioner BBMP para No.: PSR/G)8833/2020 18/09/20

AS/EE/YNKD/40/2020-21 Dt 28/8/2020, 11/3/2020.

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | | 8 |

10-12-2018

158

TS | CE | YNK2 | 161 | 2018-19 Dt 10-12-2018

162 10-12-2018

Tender Notification No: BBMP | EE | YNKD | EPMT-5 | 2019-20

8/2/20

Date of commencement of Work:-

(1) Removing and refixing stone slabs of drain and pointing in cm (1:3)

PRE-Measurements Recorded vide Excell sheet Pg No (1) to (11)

QTY = - - - - = 3812.59 Sqmt

Rate @ Rs 116.85/Sqmt

Rs 4,45,501.00

**M. A. R. 57 (Rule 116)** No. E 495703

Measurement Book

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | (2) Earth Work Excavation by manual means in ordinary soil involving in average horizontal throw upto 2mt and an average lift upto 1.5mt Excavated surface Levelled and sides neatly dressed. The disposed Earth to be Levelled neatly after breaking of clods Completed as per specification. PRE-Measurement Recorded vide Excell Rate Rs 244.84/Cum Sheet Pg No (12) to (18) Qty = 2335.95 Cum | | | | | Rs 571934.00 | |

(3) Providing and laying in position plain cement concrete of Mix (1:3:6) with opc cement @ 220kgs with 40mm and down size granite metal coarse ... etc, complete

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | PRE-Measurements Recorded Vide Excell Sheet Pg No. (19) | | | | | 34265 | |
| | Qty - - - - | | | | | = 2335.95 Cum | |
| | | | | | | 200289.00/- | |
| | Rate @ Rs 5780.37/ cum. | | | | | Rs 571934.00/- | |
| (4) | providing and laying in position reinforced cement Concrete of design Mix M20 with opc. cement @ 320 kgs with 20mm and down Size graded granite Metal Coarse. | | | | | | |

**M. A. R. 57 (Rule 116)** **No. E**

Measurement Book

495704

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | aggregates @0.878 cum and fine aggregates @0.458 cum with super plasticiser @ 3 lts confirming to IS 9103-1999. Reaffirmed 2008, Machine Mixed, Concrete laid in layers not exceeding 15 cm thick vibrated for all works ...etc, complete. Measurements Recorded vide excell sheet Pg Nos. (23) to (26) Qty = - - - - = 153.90 cum | | | | | | |

Rate @ Rs 6297.87/ cum. Rs 969242.00/-

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | (5) providing and removing centering shuttering strutting propping etc, and removal of form work. for vertical surface such as walls @ any thickness, including attached pilasters. ... etc, complete | | | | | | |
| | Measurements | | | | | Recorded rate | |
| | Excell sheet Pg No. (22) | | | | | | |
| | Qty = - - - | | | | | = 612.00 Sqmt | |
| | Rate @ Rs 398.42/Sqmt. | | | | | Rs 243833/- | |

**M. A. R. 57 (Rule 116)** No. E
Measurement Book

495705

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | (6) providing for Rcc works TMT Fe 500 steel reinforcement including straightening, cutting bending hooking, placing in position lapping and or ~~Weld~~ welding wherever required, tying with binding wire and anchoring to the adjoining members wherever necessary complete. as per design. PRE-Measurements Recorded vide Excell Sheet Pg No. (20) to (21) | | | | | | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | Qty = | - | - | - | - 2 | 8.03 | Tonny |
| | Rate @ Rs 78977.64/tonny | | | | | Rs 634190.00/- | |
| (7) | providing and laying pre-cast drain cover slab of 100mm thickness in cm(1:3) including cost of all materials, labour curing transportation, loading unloading etc., complete. | | | | | | |
| | Measurements recorded vide Excell Sheet Pg No. (27) | | | | | | |

**M. A. R. 57 (Rule 116)** No. E 495706
Measurement Book

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | Qty = - - - - = 1646.5 Sqmt | | | | | | |
| | Rate @ Rs. 2199.54/Sqm. | | | | | Rs 36215.64/- | |
| | (8) providing and laying pre-cast drain Cover slab of 250mm thickness in cm (1:3) including Cost of all Materials labour curing transportation loading & unloading etc, Complete | | | | | | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | Measurements Recorded vide Excell sheet Pg No (28) | | | | | | |
| | Qty = - - - - = 170.24 Rgmt | | | | | | |
| | Rate @ Rs 5688.36/Rgmt. | | | | | Rs 968886.00/- | |
| (9) | Removing and resetting of kerb stones | | | | | | |
| | Measurements Recorded vide Excell sheet Pg No (29) to (38) | | | | | | |

**M. A. R. 57 (Rule 116)** **No. E**

Measurement Book

495707

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | Qty = - | - | - | - | - = 3665.90 Kgm | | |
| | Rate @ Rs 110.18/Kgmt | | | | | Rs 403908/- | |
| | (10) providing and fixing pre-cast Solid Concrete Kerb Stones of Size (450 x 150 x 500) mm made out of cc (1:2:4) and finished with CM (1:3) plastering. and finishing curing etc., Complete. | | | | | | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | Measurements Recorded vide Excell Sheet Pg No. (39) | | | | | | |
| | Qty = - - - - = 3669.000 Nos | | | | | | |
| | Rate @ Rs 490.79/Nos | | | | | Rs 1800762/- | |
| (11) | painting two Coats after filling the Surface with Synthetic Enamel paint in approved shades on new plastered Concrete surface with Materials Labour Complete as per specifications. | | | | | | |

**M. A. R. 57 (Rule 116)** **No. E**

Measurement Book

495708

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | Measurements Recorded vide Excell sheet Pg No. (40) to (44) | | | | | | |
| | Qty = - - - - | | | | | = 628.44 Sqmt | |
| | Rate @ Rs 89.03/Sqmt | | | | | Rs 55950/- | |
| (12) | Scarifying bituminous Coarpet 50mm to 75mm thick along with premix Carpet/ Surface dressing by road roller attached. | | | | | | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | With Scarifier Without disturbing the base and stacking the debries including cost of all materials complete as per specifications. | | | | | | |
| | Measurements Recorded vide Excell sheet Pg No. (53) | | | | | | |
| | Qty = - - - - | | | | | = 363.60 Sqmt | |
| | Rate @ Rs 93.80/Sq mt | | | | | Rs 34105/- | |

**M. A. R. 57 (Rule 116)**
Measurement Book

No. E

Serial No. .....

495709

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | (13) Excavation for road work in all types of soil with hydraulic Excavator of 0.90 Cum bucket Capacity including cutting and loading in tippers, trimming. Bottom and side Slopes, in accordance with requirements of line, grading and cross sections and transporting to the Embankment location .... etc, Complete. | | | | | | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | |
| | Measurements Recorded vide Excel Sheet Pg No. (48) to (52) | | | | | | |
| | Qty = - - - - = 3517.14 Cum | | | | | | |
| | Rate @ Rs. 145.79/ cum. | | | | | Rs 512763/- | |
| (14) | Construction of granular Sub-base by providing close graded Material, Mixing in a machanical Mix plant @ OMC Carriage of Mixed Material | | | | | | |

**M. A. R. 57 (Rule 116)** No. E 495710
Measurement Book

Serial No. .....
Name of work ..... From ..... To .....
Name of Contractor of nature of Agency.....
Date of commencement of work.....

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | to work site. Spreading in uniform layers with motor grader on prepared surface and compacting with vibratory power roller to achieve the desired density ... etc., complete. | | | | | | |
| | Measurements Recorded Vide Excell Sheet Pg Nos. (54) to (57) | | | | | | |
| | Qty = - - - - = 1078.07 cum | | | | | | |
| | Rate @ Rs 2094.47/cum Amt | | | | | Rs 2257985/- | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Remarks |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | |
| 15 | providing laying spreading and compacting crushed stone aggregates of granite / trap / basalt to wet Mix Macadam specification. including pre-mixing the material with water @ OMC in Mechanical Mix plant Carriage of mixed Material by tipper to site ... etc, complete | | | | | | |
| | Measurements Recorded vide Ep cell sheet Pg No. (58) to (61) | | | | | | |

M. A. R. 57 (Rule 116) No. E
Measurement Book 495711

Serial No. .....
Name of work ..... From ..... To .....
Name of Contractor of nature of Agency.....
Date of commencement of work.....

| Date | Full description, etc. of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | Qty = - | - | - | - | = | 1486.10 cum | |
| | Rate @ Rs. 2101.14/cum. | | | | | Rs 3122504/- | |
| | (16) providing and applying primer Coat with SS. Bitumen Emulsion on prepared surface of granular base such as WMM. Including, clearing of Road surface & spraying. primer @ the rate of. 0.60 kg/sqm. | | | | | | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to the Measurement Book |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | |
| | etc, complete | | | | | | |
| | Measurements Recorded vide Excell sheet pg NO: (62) to (65) | | | | | | |
| | Qty - - - - = 7187.10 Sqm | | | | | | |
| | Rate @ Rs 37.84/ Sqmt. | | | | | Rs 271959/- | |
| (17). | providing and laying dense graded bituminous Macadam using crushed | | | | | | |

**M. A. R. 57 (Rule 116)** No. E 495712
Measurement Book

Serial No. .....
Name of work ..... From ..... To .....
Name of Contractor of nature of Agency.....
Date of commencement of work.....

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | aggregates of specified grading pre-mixed With VG30 grade bituminous Binder and transporting the hot Mix to Work site., Laying to the required grade, Level and alignment. rolling With Smooth Wheeled Vibratory & tandem rollers to achieve ~~the~~ the desired Compaction. ...etc, Coomplete Measurements Recorded vide Excel Sheet Pg No. (66) to (69) | | | | | | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to the Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | |
| | Qty = | - | - | - | - | = 359.30 cum | |
| | Rate @ Rs 7494.23/cum. | | | | | Rs 2692/676/- | |
| | (18) Cleaning the existing black topped surface with brooms soft brushes and finally dusting with old gunny bags and compressed air to receive bituminous treatment including ... etc, complete | | | | | | |

M. A. R. 57 (Rule 116)
Measurement Book

No. E 495713

rial No. .....

me of work ..... From ..... To .....

me of Contractor of nature of Agency.....

te of commencement of work.....

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | Measurements Recorded vide Excell sheet Pg No. (70) to (75) Qty = - - - - = 22214.60 Sqmt Rate @ Rs 5.56/Sqmt Rs 123513/- | | | | | | |
| (18) | providing and applying tack coat using | | | | | | |
| (19) | 80/100 grade bitumen (VG10) 2.5 kg/10 Sqmt | | | | | | |

# MEASUREMENT BOOK

| Date | Full description, etc. of work | Dimensions | | | | Contents | Ref. to Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | |
| | Heating bitumen in boiler fitted with spray set including cleaning of road surface) including cost of all materials etc; complete | | | | | | |
| | Measurements Recorded vide Excell sheet Pg nos. (76) to (81) | | | | | | |
| | Qty = | - | - | - | = | 22219.60 kgm | |
| | Rate @ Rs 15.58/kgm | | | | | Rs 346103/- | |

M. A. R. 57 (Rule 116)
Measurement Book

No. E 495714

Serial No. .....
Name of work ..... From ..... To .....
Name of Contractor of nature of Agency.....
Date of commencement of work.....

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | (20) Providing laying bituminous concrete using 40/60 TPH capacity H.M.P. with Mechanised paver Gr-II (30mm to 45mm) crushed aggregates of specified grading pre-mixed with 5.4% VG 30 grade bituminous binder and filler transporting the hot mix to work site, laying to the required grade Level ... etc complete. | | | | | | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | Measurements Recorded vide Excell sheet Pg no (82) to (87) | | | | | | |
| | Qty = - - - - = 888.59 cum | | | | | | |
| | Rate @ Rs. 8656.00/cum | | | | | Rs 7691715/- | |
| (21) | Road marking with hot Applied Thermoplastic compound with Reflectorised glass beads on bitumineous surface | | | | | | |

M. A. R. 57 (Rule 116)
Measurement Book

No. E 495715

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | providing and laying of hot applied thermoplastic compound 2.5mm thick including reflectorising glassbeads @ 250 gram/sqm area, thickness of 2.5mm is exclusive of surface applied glass beads ... complete | | | | | | |
| | Measurements Recorded vide Excell Sheet Page No = (88) to (93) | | | | | | |
| | Qty = " " " = | | | | | | 1139.605 sqm |
| | Rate @ Rs 477.43/sqmt | | | | | | Rs 544079/- |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | |
| (22) | Removing and refitting of footpath slab. Measurements Recorded vide Excell sheet Pg no. (45) to (46) | | | | | | |
| | Qty 2 - - - - 2 | | | | | 580.50 kgm | |
| | Rate @ Rs 219.24/kgm | | | | | Rs 127268/- | |

**M. A. R. 57 (Rule 116)** No. E 495716
Measurement Book

Serial No. .....
Name of work ..... From ..... To .....
Name of Contractor of nature of Agency.....
Date of commencement of work.....

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | (23) providing and laying heavy duty cobble stones 600mm thick interlock pavers using cement & coarse sand for manufacture of blocks of approved size shape and colour with a minimum compressive strength of 28 kg/sqm over 50mm thick sandbed. and compacting with plate Vibrator. ... etc, complete | | | | | | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | Measurements Recorded vide Excell sheet Pg No. (47) | | | | | | |
| 5/01/2021 | Qty = - - - = 193.50 Sqmt | | | | | | |
| | Rate @ Rs 1171.88/Sqmt | | | | | Rs 226758/- | |
| | | | | | Total Rs | 2786697/- | |
| | Ramadyeerah A/c 12% GST | | | | | 334039/- | |
| 5/01/2021 | | | | | Rs | = 3121160/- | |

M. A. R. 57 (Rule 116)
Measurement Book

No. E 495717

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |




Ramegowda

ASPHALT WORK

# MEASUREMENT BOO

| Date | Full description, etc, of work | Dimensions | | | | | |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | ts |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | |

Remarks

ASPHALT WORK

M. A. R. 57 (Rule 116)
Measurement Book

No. E
495718

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |




ASPHALT WORK,

Ramenjeevaiah

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents |
|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |




Ramaiyaraah

ASPHALT WORK,

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಯಲಹಂಕ ಉಪವಿಭಾಗ ಬಿಬಿಎಂಪಿ
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬೆಂಗಳೂರು-106

M. A. R. 57 (Rule 116)
Measurement Book

No. E 495719

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

| Date | Full description, etc, of work | Number | Dimensions: Length | Dimensions: Breadth | Dimensions: Depth | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |



# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | | | | | BBR NO | 132 | |
| | | | | | | 8-1-21. | |
| | Gross : Rs 31211000=00 | | | | | | |
| | PSD : Rs | | | | | | |
| | | 312111=00 | | | | | |
| | | 312111=00 | | | | | |
| | | 936330=00 | | | | | |
| | | 312111=00 | | | | | |
| | | 31212=00 | | | | | |
| | | 3875299=00 | | | | | |
| | | 3539843=00 | | | | | |
| | Net : Rs | 27671157=00 | | | | | |
| | | | | | | Audited & Admitted for Rs. 31211000=00 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | 27671157=00 | |
| | | | | | | and Rs. 3539843=00 by adjustment | |
| | | | | | | Accts Asstt. yelahanka Division SBI/P | |
| | | | | | | Exe. Engr yelahanka Division SBI/P | |